

A19

Agricultural / Industrial Thermostat With NEMA 4X Enclosure

Description

The A19PRC is a single stage temperature control designed for heating and ventilation applications. It features a raintight enclosure for use in agricultural and industrial applications that require compliance with Article 547 of the National Electrical Code. The A19PRC has a rugged thermoplastic enclosure that meets NEMA 4X specifications

Features

- · an O-ring sealed set point adjustment knob
- exposed portion of the liquid filled sensing elements are plated and plastic coated to resist damage in corrosive atmospheres

Applications

Typical applications include controlling ventilation or heating equipment in animal confinement or industrial buildings.

Technical Specifications

Electrical Ratings

Ziooti iodi itatiiigo							
Motor Ratings VAC	120	208	240				
AC Full Load A	16.0	9.2	8.0				
AC Locked Rotor A	96.0	55.2	48.0				
Non-Inductive or Resistance Load A (Not Lamp Loads) 1	22 Amps, 120/277 VAC						
Pilot Duty – 125 VA, 24 to 600 VAC							

SPST and only one side of SPDT control; SPDT - 16 A, 120 to 277 VAC



A19PRC

Selection Chart

	Code Number	Switch Action	Range °F (°C)	Diff F° (C°)	Bulb and Capillary	Range Adjuster
ſ	A19PRC-1C	SPDT	30 to 110 (1 to 43)	3 to 12 1.7 to 6.7)	1 3/8 in. x 2 1/4 in. Coiled	Knob